

**From:** Anne Berube/DC/USEPA/US  
**Sent:** 1/4/2012 5:15:50 PM  
**To:** James Kenney; Tim Sullivan  
**CC:**  
**Subject:** Fw: FYI.

-----Forwarded by Anne Berube/DC/USEPA/US on 01/04/2012 05:15PM -----

To: Anne Berube/DC/USEPA/US@EPA, Bernadette Rappold/DC/USEPA/US@EPA, Karin Leff/DC/USEPA/US@EPA, Earl Salo/DC/USEPA/US@EPA  
From: Cecil Rodrigues/R3/USEPA/US  
Date: 01/04/2012 04:18PM  
Subject: FYI.

Cecil Rodrigues, Chief  
Office of Remediation Enforcement  
Office of Regional Counsel  
EPA Region III  
215-814-2683

----- Forwarded by Cecil Rodrigues/R3/USEPA/US on 01/04/2012 04:16 PM -----

From: Gerald Heston/R3/USEPA/US  
To: R3 HOTSITES  
Date: 01/03/2012 04:44 PM  
Subject: Hot Site Report - Dimock GW Site - Update #1

As previously noted, 10 of the residents were visited on 12/29/11 and 12/30/11. Scheduling of residential visits resumed today, with 4 homes scheduled today and up to 3 "cold calls" planned at additional homes. The survey of the initial 19 homes is expected to be completed by Saturday, 1/7/12. The survey team expects to add other homes (in the immediate neighborhood of the original 19 homes) that were not previously assessed. The team will review 911 information to identify these additional homes.

OSC Fetzer continues to evaluate the potable water situation at individual homes. START is reviewing/collating the large amount of existing data to create a searchable database. The draft sampling plan is in the final stages of review. Montrose FD has given preliminary approval for EPA to stage equipment at their location. The OSC sent the EPA fact sheet to the NE Regional Director of PADEP - Wilkes-Barre, as well as to the Susquehanna County EMA Director. Press coverage has been moderate, with a brief clip at WNEP and an article in the Scranton Times-Tribune.

Gerald T. Heston, Chief  
Eastern Response Branch (3HS31)  
U. S. Environmental Protection Agency - Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
Phone: 215-814-3273  
Fax: 215-814-3254

----- Forwarded by Cecil Rodrigues/R3/USEPA/US on 01/04/2012 04:16 PM -----

From: Gerald Heston/R3/USEPA/US  
To: R3 HOTSITES  
Date: 01/04/2012 03:47 PM  
Subject: Hot Site Report - Dimock GW Site - Update #2

Residential well survey results to-date: The 19 wells included in the Consent Order between PADEP and Cabot were prioritized for the survey. 12 of these 19 wells have been surveyed. None are reported to be drinking raw well water.

There is a combination of bottled water, water buffaloes and treatment systems in use. 2 additional surveys are scheduled for this evening. Survey teams have been unable to contact 3 residents so far.

4 other wells in the immediate neighborhood of the original 19 have also been surveyed. None are reported to be drinking raw well water, but are drinking bottled water provided by Cabot.

Well surveys will continue thru this week and updated results will be provided as they are collected and summarized.

Gerald T. Heston, Chief  
Eastern Response Branch (3HS31)  
U. S. Environmental Protection Agency - Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
Phone: 215-814-3273

Fax: 215-814-3254